

Index

Page numbers in *italics* indicate figures or tables, those in **bold** indicate the pages on which the subject of the entry is defined. Plates are indexed as Plate 1, Plate 2, etc.

- aardvark 190, 301
Abies (fir) 358, 362
abyssal plain 259, **259**, **455**
abyssal zone 259, **269**, **455**, Plate 4
Acacia 332
Acer (maple)
 A. saccharum (sugar maple) 140
 pollen diagrams 357, 358
adaptive radiation 204–208, 205–207, **455**
Adelina tribolii 74
adenine 170, 171
Adonis blue butterfly 66, 67
Aedes mosquitoes 417
Africa 324–327, 325
 biodiversity 137
 Cape flora 327
 Great Lakes 200
 hominid evolution **399**, **460**
 mammalian evolution 301
Afrochilus 233
Afrotheria 302–303
agriculture 409–414, 410–413
albedo **292**, **455**
alder *see* *Alnus*
Aleutian island arc 162
algae 120, 220, 266
alien species *see* invasive (alien) species
alleles **172**, **455**
allerød interstadial 374, **455**
Alliaria petiolata (garlic mustard) 84
allopatric speciation 176–179, 180, 208, 235, **455**
Alnus (alder)
 A. sinuata (Sitka alder) 139
 pollen diagrams 357, 362, 378
alpha diversity **141**, **455**
altitude and biodiversity 134–136, 135
altruism 91
Amazon rainforest 345–346, 346
Ambrosia (ragweed) 379, 421
 A. dumosa (white bur-sage) 100
 pollen diagrams 378
American coot 39
American grey squirrel 82
American herring gull 34, 34
American marten 247
American robin 83
American wigeon 38
amino acids **171**
amphi-Pacific elements 329
amphitropical distribution *see* bipolar distribution
Anak Krakatau 218, 219, 220, 223, 223, 224
Anas 38
Ancylostoma 419
Andean-Saharan Ice Age 371
angiosperms 303–305, 303, 304, **455**
 biogeographical regions 316
 distribution 322–323
 see also individual species
animals 3–4
 domestication 414–415
 world maps 10–12, 10, 11
 see also fauna
Anolis 340
Anopheles mosquitoes 417
Anser (geese)
 A. albifrons (white-fronted goose) 77–78, 77
 A. indicus (bar-headed goose) 37
Antarctic Circumpolar Current 276, 308
Antarctic Convergence 276
Antarctic Divergence 262, 264
Antarctica
 dispersal events 239
 glaciation 238
 separation of 157–158
anteater 301
Anthropocene **425–429**, 428, **455**
Anthus hodgsoni (olive-backed pipit) 39
antitropical distribution *see* bipolar distribution
ants 67, 68
antshrike 211
aphid biodiversity 128–129
Aphodius holdereri (dung beetle) 55, 55
Apodemus sylvaticus (wood mouse) 384
apomorphic **188**, **455**
Apteryx australis (kiwi) 37
Aquilegia 60

- arachnids 93, 120, 121, 335
Araucaria 295, 309, 310, 342, 363
 pollen diagrams 364–365
 arborescent **455**
Arbutus unedo (strawberry tree) 55–57, 56, 383
Archaeochlus 233
 archibenthal zone *see* bathyal zone
 archipelago speciation **196**, 215, **455**
 Arctic tern 78, 78
 area biogeography 233–236, 234
 areas of endemism **232**, **455**
Argyroxiphium (silverswords) 205, 206
 arid regions 344, 363, 367, 381–382, 382, **455**, Plate 1
 distribution 366, 367
 armadillo 301
 Armenian gull 34
 arrow-worms 267
Artemesia
 A. frigida (prairie sage) 405
 A. herba-alba 98, 99, Plate 1
 A. norvegica (Norwegian mugwort) 53–54, 54
 pollen diagrams 362
 artiodactyls 301
Ascaris (roundworms) 417
 ash 358
 Asiamerica **455**
 assembly rules **216–218**, 217, **455**
 association 6
 Asteraceae (daisies) 42–46, 42–45, 201
 pollen diagrams 378
Astraliium rhodostereum 284
 auroch 415
 Austral Polar Current 262, 264
 Australasia **456**
 Australia 331–334
 biomes 333
 cold periods 363
 megafaunal extinctions 408
 Australian bell miner 74
 australopithecines/*Australopithecus* **402**, 404, **456**
 A. afarensis 401, 402
 diet 403
 avocet 71
- bacteria 120
 baker's yeast 410
Balanus balanoides 69
 bamboo grass 220
 bar-headed goose 37
 barnacles 69
 barriers **456**
 biological 37
 climatic 37
 East Pacific Barrier **277**, **458**
 Mid-Atlantic Barrier **277**, **462**
 ocean biomes 267–268
 Panama Isthmus 272, 277
 shallow-sea environment 276–278
 bathyal zone 259, **259**, 269, **456**, Plate 4
 bathypelagic zone 259, **261**, **456**
 bats 301
 altitudinal diversity 136
 Bay-Area model 245
 Bayesian Island Biogeographical model (BIB) 243, 244
 beard-tongue 174, 174
 beech *see* *Nothofagus*
Bellamyia unicolor 184
 benthic organisms **260**, 274, **456**
 beta diversity **141**, **456**
Betula 377
 B. alleghaniensis (yellow birch) 140
 pollen diagrams 357, 358, 378
Bidens 203
 biodiversity 5–7, **117–146**, 426, **456**
 and altitude 134–136, 135
 dynamic 142–143
 and glaciation 132–133
 hotspots **136–139**, 137, 138
 indicator trends 428
 intermediate disturbance hypothesis 141–142
 knowledge shortfalls 439–441, 439
 latitude and species range 133–134
 latitudinal gradients 123–131, 123–131
 neutral theory **23**, **38**, **142–143**, **462**
 scale dependency 441–442
 species numbers 118–123, 120–122
 succession 139–141, 139, 140
 tropical regions 131–132, 131
 biodiversity crisis 430–435, 431, 432, 434
 response to 435–437, 436
 BioGeoBEARS model 245
 biogeographical regions
 ancient 291–313
 history 323, 324
 modern 315–352
 biogeography **456**
 cladistic (pattern-based) **233–236**, 234, **457**
 conservation *see* conservation biogeography
 and creation 4–5
 dispersal **458**
 ecological **3–4**, 6, 19–20, **458**
 historical **4**, **460**
 history 1–30
 island 208–212, 209–212
 ocean *see* ocean biogeography
 phylogenetic **232–233**, 233, **464**
 biological barriers 37
 biological control **82**, **456**
 biological invasion 429–430, 429
 biological species concept **179**, **456**
 biological spectrum **101**, **456**
 BIOME 3 model 113
 biomes 6, 20, **100–101**, 101, 103, **456**
 climate diagrams 111
 coastal **263**, **457**
 early 305–311, 305, 307, 308
 modelling 112–113
 mountain 103–106, 104, 105, 134–136, 135
 ocean 267–268
 polar 263, 264
 trade winds 263, 264
 westerly winds 263, 264
 see also specific types
 biosphere **120**, **456**, Plate 2
 biota **40**, **456**
 biotic assemblages 98–102, 99, 101
 biotic diversity 210, 211
 biotic homogenization 430

- biotic resistance **82, 456**
- bipedalism 402
- bipolar distribution **6, 278, 456**
- birds
 - biodiversity 123, 131
 - distribution 62
 - migration 76–79, 77, 78
 - see also individual species*
- Bison* 407
- black bear 247
- black-browed albatross 39
- blackfly 417, 420
- bloom 263, **264, 456**
- blue-green algae 220, **266**
- bluebird 80
- bonobo 35
- boreal plants 346–350, 347, 348, **456**
- boreotropical **456**
- Bos* 415
- bottom water **262, 456**
- Brassopora* 238
- Bromus tectorum* (cheatgrass) 85
- Brooks parsimony analysis (BPA) **235–236, 237, 456**
- Brugia* 417
- buckthorn 83
- Buffon, Georges 5, 12
- Buffon's Law **5, 6, 456**
- Bufo* 174
- Bulinus truncatus* 184
- bushmeat 433
- butterflies 346
 - biodiversity 125, 125
 - species interactions 66–67, 67
- butterwort *see Pinguicula*
- C3 plants **63, 64, 456**
- C4 plants **63, 63, 64, 456**
- Cadea* 341
- Calamites* 294, 295
- Campephilus principalis* (ivory-billed woodpecker) 122
- Candolle, Augustin de 6–7, 19, 24
- Canis lupus* (grey wolf) 74
- Cape golden mole 190, 301
- carbon dioxide and plant porosity 374
- Carboniferous 18, 292, 293
 - flowering plants 304
 - land masses Plate 7
- cardueline finches 200
- Caribbean *see* West Indies
- caribou 76, 77
- Carpinus* (hornbeam) 357, 358
- carrying capacity **195, 244, 456**
- Caspian gull 34
- Casuarina*
 - C. equisetifolia* 219
 - pollen diagrams 364–365
- Catalogue of Life 447
- Catharus ustulatus* (Swainson's thrush) 78
- Celastrina*
 - C. argiolus* (holly blue) 67, 68, 74
 - C. ladon* (spring azure) 67
- Cenozoic 323
 - climate 305
 - flowering plants 303
 - mammals 300, 302, 320
 - South America 342–345, 343, 344
- Centropus violaceus* 217
- Cerastoderma edulis* 72
- Cervus*
 - C. canadensis* (elk) 407
 - C. elaphus* (red deer) 384, 420
- cetacea 301
- Chamaerops humilis* 41, 41, 42
- chance extinction 198
- chaos theory **22, 456–457**
- Charadrius* (plovers) 46–48, 46–49
 - C. alexandrinus* (Kentish plover) 71
 - C. montanus* (mountain plover) 46, 47
 - C. viciferus* (killdeer) 46, 46
- cheatgrass 85
- Chenopodiineae 362, 378
- chimpanzee 35, 35
- Chinese leaf beetle 82
- Chloridops kona* 207
- chlorophyll 263
- chloroplasts **190, 457**
- chromosomes 170–171, **172, 457**
- Chthamalus stellatus* 69
- cichlid fishes 176–179, 178
 - Madagascar 328
- circumboreal species **34, 457**
- Ciridops anna* 207, 208
- clade support 241
- clades **118, 188, 457**
- cladistic (pattern-based) biogeography **233–236, 234, 457**
- cladistics 188, **188–189, 189, 457**
- cladograms 188, **188, 189, 258, 457**
 - general area **236, 459**
 - geological area **233, 460**
 - taxon–area **233, 466**
- Clarkia* 60
- Clements, Frederic 21, 90
- Clements approach **90, 90, 457**
- Cleopatra ferrugina* 184
- Clermontia* (lobeliads) 206–207, 206, 207
- climate change 354–356, 355, 434–435, 434, 436
 - short-term 388–390, 389
- climate/climatic **106, 457**
 - barriers 37
 - and biodiversity 434
 - cooling 386–388, 387
 - envelope **102, 457**
 - Eocene–Oligocene 308–309, 308
 - global patterns 106–109, 106, 108, 109
 - Late Cretaceous–Middle Eocene 305–308, 307
 - limits 41–42, 41, 42
 - Mediterranean area **462**
 - microclimate 37, **128, 130, 462**
 - Middle Miocene–Pliocene 311
 - modelling 112–113
 - novel climates 443
 - Oligocene–Late Miocene 309–310
 - relicts **52–59, 53–56, 58, 59, 457**
- climate diagrams 109, 110, 111
- climate migrants 429
- climax **22, 457**
- climax state **140, 457**
- climax vegetation **22, 457**

- clinal variation **35, 457**
cline **35, 457**
cloud forest **134, 457**
Clovis points 405
Clupea harengus pallasi (Pacific herring) 268
coal swamps 294–295
coast live oak 91
coastal biome **263, 457**
coconut palm 197
Cocos nucifera (coconut palm) 197
co-evolution **90, 457**
Colaptes auratus (yellow-tailed northern flicker) 80
collared dove 39, 82
Colombo livia (feral pigeon) 429
Commidendron 199, 200
common brown hare 54
common shrew 383, 384
communities 21, **89–92, 90, 92, 360, 457**
 no-analogue **443, 463**
competition 69–70, 70
 reducing 71–73, 72, 73
competitive exclusion **69, 457**
complementarity 446
Compositae 205
composition 12, **127, 457**
 biome 112
 species/community 21–23, 97, 98, 113, 133, 139
conservation biogeography **28, 117, 425–453, 457**
 actions 443–446, 444
 Anthropocene **425–429, 428, 455**
 birth of 437–438
 digital data 446–449, 448–449
 scope of 438–443, 439
continental drift **2, 152, 457**
 see also plate tectonics
continental rise 259, **259, 457**
continental shelf **154, 155, 259, 273, 273, 457, Plate 6**
 bioregions 275–276
 latitudinal patterns in faunas 278–279
continental slope 259, **259, 457**
continents, changing patterns 154
Convention on Biological Diversity (CBD) **436, 457**
convergences **262, 457**
convergent evolution 189
convolvulus 197
cony 190
Cook Islands 210
coots 39
coral reefs 272, 279–286, 280–283, 285, 286
 Indo-Australian Archipelago (IAA) 281–282, 286
cord-grass *see* *Spartina*
Cordaites 294, 295
Cordyline 364–365
Coriolis effect 107
Cornish heath 383
Corophium volutator 72
corridor **40, 457**
Corylus avellana (hazel) 384
 pollen diagrams 357, 358, 362
Corynephorus canescens (grey hair grass) 61, 62
cosmopolitan families **42, 458**
Cotesia inducta 68
Cowles, Henry 21–22
Crataegus (hawthorn) 83
creation 4–5
Creation Science **185, 458**
creosote bush 100
Cretaceous 295, 296
 climate 305–308, 307
 flowering plants 303, 304
 land masses Plate 7
 mammals 300, 300, 302
Cretaceous–Tertiary (K/T) Boundary Event 297–298, 309
Croizat, Leon 1, 13, 14–16, 15
crown group 298, **299, 300, 458**
crustaceans 120
 see also *Gammarus*
Cryogenian Ice Ages 371
Cryptoblepharus 328
Cucurbita pepo (squash) 412
cultural landscapes 27
Cunoniaceae 364–365
Cupressaceae 362
current interglacial 375–376, 376, 377
 sea level changes 383–384, 384
 warm period 384–386
Cuvier, Georges 7, 8
Cyanea (lobeliads) 206–207, 206
cyanobacteria **266, 464**
Cyperaceae, pollen diagrams 362
Cyprinodon (desert pupfish) 369
cytoplasm 171
cytosine 170, 171

Daboecia cantabrica 383
Dacrydium 309, 342
 pollen diagrams 364–365
daisies *see* Asteraceae
Dansgaard–Oeschger cycles **362, 375, 458**
Darlington, Philip 14, 25
Darwin, Charles 8–10, 75, 169, 278
Darwin's finches **180–183, 181, 182, 198, 458**
Dasmann–Udvardy framework 444
De Geer route **306, 458**
deciduous forests **20, 50, 70, 91, 99, 100–102, 101, 112, 306, 357–360, 360, 378, 458**
definitive host **417, 458**
Delias 224
Dendrosenecio 43, 44
deoxyribonucleic acid *see* DNA
desert pupfish 369
deserts 367, 381–382, 382, Plate 1
Devonian 292, 293
 flowering plants 304
 land masses Plate 7
Diadema (sea urchin) 268
Diamond, Jared 213, 217, 419, 437
Dicaeum (flowerpecker) 224
Dicksonia 199
Dicrodium 295
dinosaurs 296–297
 extinction of 297–298
Diomedea melanophris (black-browed albatross) 39
Diorhabda elongata (Chinese leaf beetle) 82
diploid **171, 458**
disharmonic biota **40, 458**

- disjunct distribution **40, 231, 458**
- dispersal biogeography 231–232, 232, **458**
 routes 39–41
- dispersal–extinction–cladogenesis (DEC) model 243
- dispersal–vicariance analysis (DIVA) **240, 458**
- dispersalism **12–13, 14, 458**
- dispersion **231, 232, 458**
- distribution 5–7, 14–15, 15, 33–88
 Asteraceae (daisies) 42–46, 42–45
 Charadriidae (plovers) 46–48, 46–49
 climatic relicts 52–59, 53–56, 58, 59
 competition 69–73, 70, 72, 73
 invasion 79–85, 80–82, 84, 85
 limits of 37–38
 Magnoliaceae 49–50, 49, 50
 migration 76–79, 77, 78
 overcoming barriers 39–41
 palms 41–42, 41, 42
 parasites and hosts 73–76
 physical limits 60–65, 61–65
 predators and prey 73–76
 species interaction 66–69, 67, 68
 testate amoeba 50–52, 51
 topographical limits 59–60, 60
- divergence 202, 212, 233, 240–242, **262, 458**
 amino acid sequences 341
 Antarctic Divergence 262, 264
 genetic 369, 385
 Pacific Equatorial Divergence 262, 264
 physiological 385
 timing of 250–251, 258, 300, 302, 303, 335, 337, 345
- DNA 33, 34, 170–171, 172, 190, **458**
- domestication
 animals 414–415
 plants 409–414, 410–413
- dominant alleles **172, 458**
- double helix 170–171
- Drepanis pacifica* 207, 207
- Dromiciops* 302
- Drosophila* 176, 204, 205
- dry lands 381–382, 382
- Dry Tortugas 199
- Dryas octopetala* (mountain aven) 376
- Dubautia* (silverswords) 205–206
- dung beetle 44, 55
- duplication **235, 458**
- dynamic biodiversity 142–143
- Dysoxylum* 222, 223
- East Indies 330
- East Pacific Barrier **277, 458**
- East Pacific Rise 272
- East Scotia Ridge 272
- eastern gorilla 58, 59
- echinoderms 277
- Echinothrix diadema* (sea urchin) 277
- ecological biogeography 3–4, 6, 19–20, **458**
- ecological equivalents 100
- ecological imperialism 79
- ecological network **98, 458**
- ecological species concept **179, 458**
see also species
- ecophysiology 20, **22, 458**
- ecoregions 275–276
- ecosystems 20, **92–94, 93, 458**
 disturbance 98
 species diversity 95–98, 95, 97, 98
- efficiency 446
- einkorn 409, 410
- Ekman, Sven 23–24
- Elaeocarpus* 364–365
- elephant-shrew 190, 301
- elephantiasis 417
- elm *see Ulmus*
- Eltonian shortfall 439
- Emiliani, Cesare 18–19
- emmer 409, 410
- En Niño Southern Oscillation (ENSO) **388–390, 389, 458**
- endemism/endemic 6, 15, 16, **38, 59–60, 60, 231–232, 232, 458**
 mammals 321
 palaeoendemism **38, 60, 463**
- energy flow **92, 458–459**
- energy hypothesis **126, 459**
- Engler, Adolf 10–11, 10, 20
- Ensatina* (salamanders) 175–176, Plate 3
- Entamoeba histolytica* 417
- enzymes **171**
- Eocene 296
 climate 305–308, 307, 308–309, 308
 land masses Plate 7
 mammals 318
- Ephedra* 100
- epicontinental seas **155, 259, 459**
- epipelagic zone 259, **261, 459**
- epiphytes **134, 459**
- Equatorial Current 156–157, 157, 277
- equatorial submergence **269, 459**
- Equus* 317
E. ferus 407
- Erica vagans* (Cornish heath) 383
- Eriogonum 362
- Erythrina* 203–204
- Eucalyptus* 332
 pollen diagrams 364–365
- Eukrohnna hamata* 278
- euphotic zone **261, 459**
- Euramerica **154, 292, 293, 295, 459**
- Eurasia 155
 mammalian evolution 301
- Eurasian coot 39
- Eurasian house sparrow 429
- Eurasian teal 38
- Eurasian wigeon 38
- European chub 248, 249
- European herring gull 34, 34
- European starling 80, 81
- eurytopic **459**
- eustatic **383, 459**
- evapotranspiration **112, 125, 459**
- evenness **97, 459**
- event-based methods **236–239, 237, 239, 459**
- evolution 7–8, 169–192
 controversies 183–187, 184
 convergent 189
 course of 188–190, 188, 189
 Darwin's finches 180–183, 181, 182

- evolution (*continued*)
 - genetics 33, 172–173
 - gradualistic **183, 460**
 - island species 199–201, 200
 - natural selection 9, 169, 186–187
 - patterns of 231–253
 - populations and species 173–176, 174
 - punctuated equilibrium model **184, 464**
 - species definition 179–180
 - sympatry vs. allopatry 176–179, 180
 - tropical regions 131–132, 131
- evolutionary relicts **459**
- extant group **459**
- extinctions 360–361
 - chance 198
 - dinosaurs 297–298
 - megafauna 406–409, 407
 - per million species-years (E/MSY) 427
- facilitation **91–92**, 139, **459**
- Fagus grandifolia* 140
- family **459**
- fantail 37
- farming *see* agriculture
- fauna
 - hydrothermal vents 271–273, 271
 - islands 276
 - latitudinal patterns on continental shelf 278–279
 - megafaunal extinctions 406–409, 407
- feral pigeon 429
- Fertile Crescent 412
- Fiji Islands 210
- filter **40, 459**
- Fimbristylis* 70
- finches
 - cardueline 200
 - Darwin's **180–183**, 181, 182, 198, **458**
- fir 358, 362
- flagellates 266
- flexibility 446
- flora
 - Cape 327
 - Oroboreal **463**
 - see also* plants
- flour beetles 74
- flowering plants *see* angiosperms
- flowerpecker 224
- flying lemur 301
- flying squirrel 247
- food webs 93, 94
- foraminifera **355, 459**
- forests
 - cloud forest **134, 457**
 - expansion 377–381, 378–380
 - rainforests *see* rainforests
 - timberline **104, 467**
- formations 6, **100, 459**
- Forster, Georg 6, 24
- fossil record 400–401
- founder principle 198
- Fraxinus* (ash) 358
- Freycinettia* 364–365
- frogs 124
- frost hollows 141
- Fucospora* 238
- Fulla* (coots) 39
- functional biogeography 218
- functional types **96, 459**
- fundamental niche **39, 459**
- fungi 120
- Gabbiella senaariensis* 184
- gadwall 38
- Galápagos Islands 8, 104, 105, 106, 180
 - Darwin's finches 180–183, 181, 182
- gamma diversity **459**
- Gammarus* 64, 65
 - G. duebeni* 48, 49
 - G. locusta* 48, 49, 65
 - G. oceanicus* 48, 49
 - G. pulex* 65
 - G. zaddachi* 48, 49, 65
- garlic mustard 84
- gastropod molluscs 184, 275
- general area cladogram (GAC) **236, 459**
- general dynamic model (GDM) **214–216**, 215, **459**
- generalized track 14, 15
- genes **459**
 - see also* genetics
- genetic divergence 369, 385
- genetic drift **173, 459**
- genetics 33, 172–173
 - hybrid mating 175
- genotype **171, 172, 459**
- genus 4, **459**
- geodispersal **231, 232, 459**
- geological area cladogram **233, 460**
- geological barriers 37
- geological timescale 153
- Geomalacus maculosus* (Kerry slug) 57, 58
- Geospiza* (Darwin's finches) 198
 - G. difficilis* 181, 181
 - G. fortis* 176, 181, 181, 182, 183
 - G. fuliginosa* 181, 181, 183
 - G. magnirostris* 181, 181
- giant butterwort 383
- giant tube-worms 272
- Gigantopteris* 295
- Ginkgo* 331
- glacial buttercup 54
- glacial relicts **52, 460**
- glaciation 132–133, **353, 460**
 - and biodiversity 132–133
 - causes 370–375, 371–373
 - current interglacial 375–376, 376, 377
 - Huronian Glaciation 371
 - last glacial 361–370, 361, 362, 364–365, 366–370, 406
- Glaucomyz sabrinus* (flying squirrel) 247
- Gleason approach 90, **91, 460**
- Gleason, Henry 21, 90
- global climate patterns 106–109, 106, 108, 109
- global temperatures 390
- Globigerina* 355
- Globorotalia* 355
- Glossopteris* 295
 - distribution 13, 13, 14, 16
- Gondwana 151, **154**, 155, 161, 238, 292, 293, **460**
 - fragmentation of 324, 331

- goose *see* *Anser*
- Gorilla* 399
- G. beringei* (eastern gorilla) 58, 59
- G. gorilla* (western gorilla) 58, 59
- gradualistic evolution **183, 460**
- grape 388
- grasses 309
- bamboo grass 220
- cheatgrass 85
- cord-grass *see* *Spartina*
- grey hair grass 61, 62
- grasslands 130, 309
- Great American Interchange 297, 343, 343
- great apes 399, 400
- great auk 426
- Great Dividing Range 331
- Great Lakes (East Africa) 200
- greater flamingo 71
- green-winged teal 38
- greenhouse effect 298, **460**
- greenhouse gases 298, **373, 460**
- greenish warbler 35–36, 36
- Greenland Ice Cap 361
- grey hair grass 61, 62
- grey wolf 74
- groundsels *see* Asteraceae (daisies); *Senecio*
- guanine 170–171
- guilds **21, 460**
- Gulf Stream 157
- gulls *see* *Larus*
- guppy 187
- guyots 162
- gyres 157, **261–262, 460**
- habitat **37, 431, 432, 460**
- degradation 436
- fragmentation 436
- loss of 436
- microhabitat **36, 462**
- hadal zone 259, **269, 460**
- hadopelagic zone 259, **261, 460**
- Haematopus ostralegus* (oystercatcher) 71
- Haliaeetus albicilla* (white-tailed eagle) 385
- halocline **260, 460**
- Haloxylon persicum* 99, Plate 1
- haploid **171, 460**
- haplotype **171, 460**
- Haptosquilla* 279
- Hawaiian damselfish 76
- Hawaiian Islands 200, 201–208, 202
- evolutionary radiations 204–208, 205–207
- species arrival at 203–204
- hawthorn 83
- hazel 357, 358, 362, 384
- Hedophyllum sessile* 75
- Heinrich events **362, 460**
- hekistotherms **19, 460**
- Helicobacter pylori* 419
- Hemignathus* 207, 207
- hemlock 361
- herb paris 383
- hermatypic corals **279, 280, 460**
- herring gull 34–35, 34
- Heteronotia binoei* 443
- Heuglin's gull 34
- Himalayas 103–104, 104
- Himatione sanguinea* 207, 207
- Hipparion* 317, 326
- Hippidion* (horses) 317
- Hippocrepis comosa* (horseshoe vetch) 66
- historical biogeography 1–30, **4, 460**
- molecular approach 245–249, 247, 248
- holarctic mammals 346–350, 347, 348, **460**
- holly blue butterfly 67, 68, 74
- Holocene **356, 460**
- hominids **399, 460**
- hominins **399, 400, 401, 460**
- archaic 402
- early 402
- megadont 402
- transitional 402
- Homo* 326, 401, 401
- H. erectus* 401, 403, 417
- H. ergaster* 403
- H. floresiensis* 201, 404
- H. habilis* 401, 402, 403, 417
- H. heidelbergensis* 401, 403–404
- H. neanderthalensis* 401, 404
- H. sapiens* 401, 404, 409, 415–417, 425
- modern 404–406, 405, 406
- pre-modern 403–404
- honeysuckle 83
- Hooker, Joseph 11, 13
- hookworms 417
- hornbeam 357, 358
- horses 317
- biogeography 317, 318
- see also* *Equus*
- horseshoe vetch 66
- hotspots 445, **460**
- of biodiversity **136–139, 137, 138**
- coral reefs 285
- island formation **162–163, 163**
- Howea* 38
- human intrusion 388, 399–422
- animal domestication 414–415
- emergence of humans 399–409, 400, 401, 405–407
- environmental impact 420–421, 421
- modern humans 406–409
- plant domestication and agriculture 409–414, 410–413
- human parasites 417–420
- Humboldt, Alexander von 6, 19
- Huronian Glaciation 371
- Hutchinsonian shortfall 439
- hybrid mating 175
- hybrids **174, 460**
- hydrological cycles **94, 460**
- hydrothermal vents 271, **271–273, 460**
- hydrozoans **279, 461**
- Hymenolepis diminuta* 75
- Hyrax* 301
- I-step clades 248
- iBat app 447
- Ice ages 371
- ice sheets 353–395
- Pleistocene 358–361, 359, 360
- see also* glaciation

- ice wedge **354, 461**
 idiosyncratic model 95
Iguana iguana 196
Imperata cylindrica 220
 inbreeding depression 198
 incidence **216–218, 217, 461**
 India 328–329
 Indian almond tree 219
 Indian Ocean coral reefs 281
 Indian Ocean Dipole **390, 461**
 individualistic concept **91, 461**
 Indo-Australian Archipelago (IAA) 281–282, 286
 Indo-European languages 413
 Indo-Pacific plant kingdom **461**
 Indonesian Gateway (Throughflow) 158
 inertia **97, 461**
 inheritance 172–173
 insectivores 71, 124, 301
 insects
 species numbers 120
 see also *individual species*
 insolation 373, **373, 461**
 Intelligent Design **185, 461**
 interbreeding 175
 interglacials 356–358, **356–358, 357, 461**
 Intergovernmental Panel on Climate Change (IPCC) 391, 433
 intermediate disturbance hypothesis 141–142
 intermediate host 417, **461**
 interstadials 356–358, **356–358, 357, 461**
 intertropical convergence zone (ITCZ) **107, 461**
 invasion 79–85, 80–82, 84, 85
 biological 429–430, 429
 human see human intrusion
 invasive (alien) species 429, 436
 plants 79–85, 80–82, 84, 85
Ipomoea pes-caprae (strand-line creeper) 219
 Irish ‘elk’ 408
 island arcs **162, 165, 165, 461**
 island biogeography 3, 24–25, 195–225, 209–212
 adaptation and evolution 199–201, 200
 Anak Krakatau 218, 219, 220, 223, 223, 224
 carrying capacity **195, 456**
 coastal fauna 276
 General Dynamic Model **214–216, 215, 459**
 Hawaiian Islands 200, 201–208, 202
 incidence and assembly rules 216–218, 217
 Madagascar 327–328
 nestedness 216
 Pacific Islands 208–210, 209, 209, 489
 plate tectonics 162–163, 162, 163
 Rakata 218–225, 219
 species arrival at 196–197
 survival strategies 197–199
 Theory of **211, 212–214, 214, 466–467**
 types of island 196
 within-island speciation **196, 215, 455**
 isolating mechanisms 174, **174–175, 461**
 isostatic **383, 461**
 ivory-billed woodpecker 122

 jump dispersal **231–232, 232, 243, 243, 244, 461**
 Jurassic 295
 flowering plants 303, 304
 mammals 300

 K-selected species **218, 461**
 Karoo Ice Age 371
 Kentish plover 71
 Kerry slug 57, 58
 keystone species **95, 461**
 killdeer 46, 46
 kiwi 37
 kleptoparasitism **39, 461**
 Komodo dragon 201
 Kurile island arc 162

 La Niña 389, 390
 lagomorphs 301
 lake levels 368
Laminaria groenlandica 75
 landscape ecology **27, 461**
 landscape matrix 431, 432
Lantana camara (tickberry) 79, 80
 lapse rate **461**
 lapwing 47, 47
 large blue butterfly 67
Larrea tridentata (creosote bush) 100
Larus (gull) 34–35, 34
L. argentatus (European herring gull) 34–35, 34
L. smithsonius (American herring gull) 34–35, 34
 last glacial 361–370, 361, 362, 364–365, 366–370
 latitude and species range 133–134
 latitudinal gradients 123–131, 123–131
 Laurasia **154, 461**
 Laurentide Ice Sheet 377
Leiopelma (New Zealand frog) 335
Leishmania 420
 leishmaniasis 417, 418
 leopard 66
Lepidodendron 294, 294, 295
Lepus (hare)
 L. americanus (snowshoe hare) 54, 74
 L. capensis (common brown hare) 54
 L. timidus (mountain hare) 54
 Lessepsian exchange **278, 461**
Leuciscus cephalus (European chub) 248, 249
 life forms **20, 461**
 limiting factors **61, 461**
 linear relationship model 95, 95
 Linnaeus, Carl 5, 19
 Linnean shortfall 439–440, 439
Liriodendron (tulip trees) 50, 50, 361
Listrodomus nycthemerus 68, 68
 lithosphere **151, 461**
 Little Ice Age **386, 461**
 lobeliads 206–207, 206, 207
 loess 367, **368, 461**
Lonicera (honeysuckle) 83
Lophozonia 238
Loxioides bailleui 207
Loxops coccineus 207, 207
Luehea seemanii 119
 Lusitania 383
 Lusitanian species **57, 461**
Lychnis flos-cuculi (ragged robin) 63
Lycopodium 294
Lynx lynx 74
Lysandra bellargus (Adonis blue) 66, 67

- Macaranga* 220
 macroecology **26, 134, 462**
Macropygia mckinlayi 217
Maculinea arion (large blue) 27
 Madagascar 327–328
 Magnoliaceae 49–50, 49, 50
 maize 412, 414
 malaria 417, 418
 mallard 38
Malva 197
 mammals 298–303, 299–301
 biogeography 316, 317, 318
 Cenozoic 300, 302, 320
 Cretaceous 300, 300, 302
 distribution 319–322, 319–321
 endemism 321
 Eocene 318
 evolution 301
 families 320–321, 321
 Holarctic 346–350, 347, 348, **460**
 Jurassic 300
 Mesozoic 327
 Miocene 318
 Oligocene 318
 Pleistocene 318
 Pliocene 318
 size 408
 see also *Homo*; marsupials; placental mammals
Mammuthus primigenius (woolly mammoth) 361, 407, 407
 manatee 190
 Map of Life 447
 maple see *Acer*
 marine biogeography 23–24, Plate 5, Plate 6
 marine snow 269
Marlorina melarophrys (Australian bell miner) 74
 marsupials **298, 300, 302, 462**
 distribution 319
Martes americanus (American marten) 247
 Medieval Warm Period **388, 462**
 Mediterranean area
 climate **43, 137–138, 326–327, 462**
 history 325
 megadont hominins 402
 megafauna **462**
 extinctions 406–409, 407
Megaloceros giganteus (Irish 'elk') 408
 megatherms 19
Melanodendron 199, 200
Melanoides tuberculata 184
 Mendel, Gregor 9
Merluccius 257, 258
 mesopelagic zone 259, **261, 462**
 mesotherms **19, 462**
 Mesozoic 277
 climatic gradient 297
 flowering plants 50, 295, 303
 mammals 327
 metabolic theory **126, 462**
 metapopulations 27, 27, 117, **462**
Metrosideros 203, 207, 336
 microclimate 37, **128, 130, 462**
 microhabitat **36, 462**
 microtherms **19, 462**
 Mid-Atlantic Barrier 277, **462**
 Mid-Continental Seaway **462**
 mid-domain effect 283, **283, 462**
 midges 233, 233
 migration **76–79, 77, 78, 462**
 Milankovich cycles **371, 462**
 Miocene 11, 399
 climate 309–310, 311
 mammals 318
 Mediterranean area 325
 rainforests 307
 Miocene Climatic Optimum 310
 Miocene Thermal Maximum 310
 mitochondria **190, 462**
 model-based methods **240–245, 243, 462**
 biomes 112–113
 climate 112–113
 molecular approach to historical biogeography 245–249, 247, 248
 molecular clocks 337–338
 molluscs 120
 gastropod 184, 275
 Mongolian gull 34
 monophyletic group **462**
 monotypic species **34, 462**
 monsoon 262
 mosquitoes 417
 mouflon 415
 mountain aven 376
 mountain biomes 103–106, 104, 105
 biodiversity 134–136, 135
 mountain chains 155–156
 mountain hare 54
 mountain plover 46, 47
 mourning dove 81
Muhlenbergia capillaris 69–70
Mustella 384
 mutations **173, 185, 246, 462**
Myrmica (red ants) 67, 68

 natural selection 9, 169, **186–187, 462**
Nebela vas (testate amoeba) 50–52, 51
Necator (hookworms) 417
 nekton/nektonic **260, 267, 462**
 nematodes 120
 neoendemism/neoendemic **38, 60, 462**
Neonauclea 222, 223
 neritic **260, 462**
 nested clade analysis **248, 462**
 nestedness 216
Neuropteris 294
 neutral theory of biodiversity **23, 37, 142–143, 463**
 New Caledonia 210, 334–335, 334
 New Hebrides 210
 New York School of Zoogeographers 13–14
 New Zealand 335–336
 New Zealand frog 335
 niche partitioning **38, 463**
 niches 22, **38–39, 463**
 measurement 442–443
 temporal 141
 Ninetyeast Ridge 328
Nipa 306
 nitrates 265, 266–267
 no-analogue community **443, 463**

- nominate species **35, 463**
Nominostomias 267
 North America
 biodiversity 123–128
 mammalian evolution 301
 North Atlantic Ridge 272
 North Pacific Countercurrent 262, 264
 Northern Hemisphere 346–350, 347, 348
 Norwegian mugwort 53–54, 54
Nothofagus 236–238, 237, 241, 308, 309, 329, 331, 332, 336, 342
 novel climates 443
 nucleotides 170–171
 null hypothesis **218, 236, 463**
Nuphar 378
 nutrient cycling **92, 463**
 Nuttall's woodpecker 60
- oak *see* *Quercus*
 ocean baselines **16, 17, 463**
 ocean basins 261–263
 ocean biogeography 255–289
 open-sea environment 261–268
 shallow-sea environment 273–286, 273–275
 short-term climate change 388–390, 389
 zones 257–260, 259
 ocean floor *see* seafloor
 ocean surface currents 156, 157
 oceanic circulation **463**
 Odum, Howard and Eugene 22
 Older Dryas 371
 Oligocene
 climate 308–309, 308, 309–310
 land masses Plate 7
 mammals 318
 Mediterranean area 325
 rainforests 307
 olive-backed pipit 39
Onchocerca 417
 open-sea environment 261–268
 invisible barriers 267–268
 ocean basins 261–263
 surface waters 263–267, 264, 265
 Operational Taxonomic Units (OTUs) 440
 orangutan 399
 oriental zoogeographical region **463**
 Oroboreal flora **463**
 over-exploitation 436
Ovis 415
 oxygen isotopes **355, 361, 463**
 oystercatcher 71
- pachycaul plants **43, 463**
 Pacific Equatorial Divergence 262, 264
 Pacific Islands 208–210, 209
 Pacific Ocean coral reefs 281
 palaeocontinents 17, 18
 palaeoendemism **38, 60, 463**
 palaeomagnetism **149, 150, 463**
 palaeotemperature **355, 463**
 pale butterwort 383
 Paleocene 348
 rainforests 307
 Paleocene–Eocene Thermal Maximum (PETM) 306
 Palmae Province **306, 342, 463**
- Palmeria dolei* 207, 207
 palms 41–42, 41, 42
 palynology **357, 463**
Pan 35, 399
 P. paniscus (bonobo) 35
 P. troglodytes (chimpanzee) 35, 35
 Panama Isthmus 272, 277, 311, 326
 formation of 339, 343, 343
 Panama Seaway 158
 panbiogeography **15, 463**
 Pangaea 13, 14, **154, 279, 295–296, 463**
 pangolins 301
 Panthalassa **463**
Panthera pardus (leopard) 66
 paradigm **3, 186, 463**
 parametric methods *see* model-based methods
Paranthropus 402
 parapatric **178, 463**
 parasites 73–76, 417–420
Paratrechina longicornis 199
Paris quadrifolia (herb paris) 383
Parochlus 233
 parsimony 188, **188–189, 189, 463**
 parsimony analysis for comparing trees (PACT) **236, 463**
 parsimony-based tree fitting 236–239, **236, 237, 239, 463**
Passer domesticus (Eurasian house sparrow) 429
 passerines 12
 pattern-based methods **464**
Peganum harmala 100
 pelagic zone **256, 464**, Plate 5
Penstemon (beard-tongue) 174, 174
 periglacial 354, **354, 464**
Peripatus (velvet worm) 335
 perissodactyls 301
 Permian 18, 292, 293, 294–295
 flowering plants 304
 land masses Plate 7
 persistence 446
 pest prediction 83
Petrobium 199, 200
Phaeoelous vulgaris (bean) 412
 phenotype **172, 464**
Phlebotomus (sandflies) 417
Phoenicopterus ruber (greater flamingo) 71
Phoenix 41, 42
 phosphate 265
 photoperiodism **57, 464**
Phylloscopus trochilloides (greenish warbler) 35–36, 36
 phylogenetic biogeography **232–233, 233, 464**
 phylogeography **246–250, 247, 249, 464**
 physical barriers 37
 physical limits of distribution 60–65, 61–65
 physiognomy 100
 phytodetritus 269
 phytoplankton **256, 257, 264, 464**
 bloom **263, 456**
 phytosociology **21, 90, 464**
Pica nuttallii (yellow-billed magpie) 60
Picea (spruce) 377, 379–380
 P. mariana (black spruce) 386
 P. sitchensis (Sitka spruce) 139, 139
 pollen diagrams 357, 358, 362, 378
Picoides nuttallii (Nuttall's woodpecker) 60
 picoplankton **266, 464**

- pine *see* *Pinus*
- Pinguicula* 383
- Pinguinus impennis* (great auk) 426
- Pinus* 379–380
- pollen diagrams 357, 358, 362, 378
- Pionopsitta* 345
- Pisaster ochraceus* 75
- placental mammals 298, 299, 300, 464
- distribution 319
 - divergence 302
- plankton/planktonic 260, 464, Plate 4
- planktonic bloom 264, 464
- plant form 20, 464
- plant formation 20, 464
- plant functional types 21, 464
- plants 3–4
- boreal 346–350, 347, 348, 456
 - C3 63, 64, 456
 - C4 63, 63, 64, 456
 - communities 89–92, 90
 - dispersal 197
 - distribution 62–64, 63, 64
 - domestication 409–414, 410–413
 - flowering 303–305, 303, 304, 316
 - invasive species 79–85, 80–82, 84, 85
 - Oroboreal 463
 - pachycauls 43, 463
 - productivity 129
 - species numbers 120
 - world maps 10–12, 10, 11
- Plantago maritima* (sea plantain) 385
- Plasmodium* 417
- P. falciparum* 418, 419
 - P. knowlesi* 418
 - P. vivax* 419
- plate tectonics 2, 17, 149–167, 464
- changing patterns of continents 154
 - evidence for 149–154, 150–153
 - islands 162–163, 162, 163
 - land-based events 154–156
 - ocean-based events 156–161, 156, 157, 159
 - terraces 164–166, 164, 165
 - Wallacea 160–161
- plateau 163, 464
- Pleistocene
- biological changes 358–361, 359, 360
 - glaciations 326
 - mammals 318
 - South America 342–345, 343, 344
- plesiomorphic 188, 464
- Pliocene
- climate 311
 - mammals 318
- plovers 46–48, 46–49, 71
- pluvials 366, 464
- Poaceae 362, 378
- Podocarpus* 309, 342
- pollen diagrams 364–365
- Podochilus* 233
- Podonomopsis* 233
- Podonomus* 233
- Poecilia reticulata* (guppy) 187
- Pogonotherum* (bamboo grass) 220
- polar biome 263, 264
- ‘polar wandering’ 149, 150
- pollen diagrams 357, 358, 378
- pollen grains 357, 357, 364–365, 464
- polygons 354
- polyploidy 177, 409, 464
- polyps 279
- polytypic species 34, 464
- Pongo* (orangutan) 399
- populations 173–176, 174
- Porphyrio* 118
- post-mating isolating mechanisms 174–175
- postglacial relicts 55–57, 464
- prairie sage 405
- predators 73–76
- predictability 97, 464
- Prestonian shortfall 439
- prey 73–76
- prey switching 74, 464
- prioritization schemes 445, 464
- probabilistic Markov chain process 243
- productivity 125, 126–127, 129, 262, 464
- oceans 265
- Protea* 331
- protozoans 120
- provinces 275
- Psaronius* 294
- pseudocongruence 239, 242, 464
- Pseudomyrmex elongatus* 199
- Pseudonestor xanthophrys* 207, 208
- Pseudotsuga/Larix* 362
- Psidium* 199, 200
- Psittirostra psittacea* 207
- Pteridium, pollen diagrams 362
- Pterocarya* (wing nut tree) 361
- Pterosagitta draco* (arrow-worm) 267
- Ptilinopus superbus* 217
- punctuated equilibrium model of evolution 184, 465
- purple gallinule 118
- purple swamphen 118
- purslane 420
- Purtulaca oleracea* (purslane) 420
- pycnocline 260, 266, 465
- pygmy shrew 383, 384
- Quercus* (oak) 377, 379–380
- pollen diagrams 357, 358, 362, 378
 - Q. agrifolia* (coast live oak) 91
- r-selected species 465
- race 465
- ragged robin 63
- ragweed *see* *Ambrosia*
- rainforests 306, 307, 325
- distribution 366
 - South America 345–346, 346
- Rakata 218–225, 219
- coastal environment 219–220
 - inland areas 220–225, 221, 223
- range 36, 231, 465
- range-dependent diversification models 245
- range extension 231, 232, 465
- Rangifer tarandus* (caribou) 76, 77
- Ranunculus glacialis* (glacial buttercup) 54
- Rapanea* 364–365

- Rapoport's rule **133, 465**
Rattus tiomanicus 224
Raunkiaer, Christen 20, 101
realized niche **39, 465**
realms 275, Plate 6
recessive alleles **172, 465**
recombination **171**
Recurvirostra avosetta (avocet) 71
red ants 67, 68
red squirrel 82
redshank 72
redundant species hypothesis 95
refugium (refugia) **52, 345, 359, 465**
relaxed clock models 246
relicts **50, 465**
 climatic **52–59, 53–56, 58, 59, 457**
 evolutionary **459**
 glacial **52, 460**
 postglacial **55–57, 464**
representativeness 446
rescue effect **465**
resilience **97, 465**
resistance to change 97
reticulate pattern **239–241, 465**
Rhamnus (buckthorn) 83
Rheochlus 233
Rhinanthus minor (yellow rattle) 76
Rhipidura fuliginosa (fantail) 37
Rhus 197
Riftia (giant tube-worms) 272
ring species **36, 175–176, 465, Plate 3**
Rio Tinto 120
rivet hypothesis 95
RNA 170–171
rodents 301
roundworms 417
Rounkioeran shortfall 439
- Sabal* 306
 S. palmetto 41
Saccharomyces cerevisiae (baker's yeast) 410
Saccharum spontaneum (wild sugar cane) 220
Sagitta (arrow-worms) 267
Sahara Desert 382
Sahelanthropus tchadensis 402
St Helena 199, 200
salamanders 175–176, Plate 3
Salix (willow) 378
Salsola 99
Samoa 210
sandflies 417
saporpel **381, 465**
Sarcopygme 199
Scaevola toccata 203
scale dependency 441–442
Scaphiopus bombifrons (spadefoot toad) 384
Scaptomyza 204
Sciurus 82
sclerophyll plants **57, 332, 465**
sea-cow 190
sea level changes 159, 383–384, 384
sea plantain 385
sea-surface temperature 263
- sea urchin 268, 277
seafloor 268–273
 hydrothermal vent faunas 271–273, 271
 life forms 268–271
 spreading **151, 152, 465**
 zones 257–260, 259
seamounts **162, 465**
seas *see ocean entries*
sedentary species 217
seismic tomography 160
seismic waves **160, 465**
Senecio 43, 43, 199, 200
 S. barbatipes 45, 45
 S. elgonensis 45, 45
 S. leucadendron 200
sensory drive **178, 465**
Sequoia 306
Serenoa repens 41
shallow-sea environment 273–286, 273–275
 coastal fauna of islands 276
 continental shelf *see* continental shelf
 coral reefs 272, 279–286, 280–283, 285, 286
 latitudinal patterns in shelf faunas 278–279
 transoceanic links and barriers 276–278
sheep 415
shelduck 71
shelf break 259, **259, 465**
shelf zone **269, 465, Plate 6**
short-term climate change 388–390, 389
shortfalls 439–441, 439
shrews 383, 384
Sialia sialis (bluebird) 80
sickle-cell anaemia 416
Sierra Nevada 104, 105
Sigallaria 294
Silene
 S. secundiflora 63
 S. viscosa (sticky catchfly) 63
Silurian, flowering plants 304
silverswords 205, 206
Simulium (blackfly) 417, 420
Sirenia 301
Sitka alder 139
SLOSS debate **443, 465**
sloth 301
small island effect **216, 465**
snowshoe hare 54, 74
Soay sheep 415
sociable plover 48, 48
Society Islands 210
software 447
solar forcing **371, 372, 465**
Solomon Islands 210
Sorex (shrew)
 S. araneus (common shrew) 383, 384
 S. minutus (pygmy shrew) 383, 384
South America 341–346, 343, 344, 346
 Early Cenozoic 342
 Late Cenozoic–Pleistocene 342–345, 343, 344
 mammalian evolution 301
 rainforests 345–346, 346
Southern Subtropical Convergence 264
spadefoot toad 384

Spartina (cord-grass)
S. alterniflora 70, 177
S. anglica 177
S. maritima 177
S. patens 70
 spatial separation **71–72, 465**
 speciation 16, 72, 133, 136, 234, 245
 allopatric **176–179, 180, 208, 235, 455**
 rates 132, 282–284
 small island effect **216, 465**
 sympatric **176–179, 180, 235, 466**
 within-island **196, 215, 455**
 speciation modes 243
 species 33, **465–466**
 definition **179–180**
 evolution 173–176, 174
 keystone **95, 461**
 Lusitanian **57, 461**
 monotypic **34, 462**
 numbers 118–123, 120–122
 polytypic **34, 464**
 species–area relationship (SAR) 427
 species composition 21–23, 97, 98, 113, 133, 139
 species diversity 95–98, 95, 97, 98
 island arcs 162, 165, 165
 see also biodiversity
 species–energy theory **213, 466**
 species incidence function 431
 species interaction 66–69, 67, 68
 species pump 346
 species richness 97, **97, 466**
 and latitude 133–134
Sphenodon 335
 spillover 418
 spotted owl 37
 spreading ridges **149, 466**
 spring azure butterfly 67
 springtail 52–53, 53
 spruce *see Picea*
 squash 412
 squirrels 82, 247, 248
 stability **97, 466**
 stationary Markov models 244
 stem group 298, **299, 300, 466**
 stenotopic **47, 466**
 steppe gull 34
 stepping-stone model 244
Sterna paradisaea (Arctic tern) 78, 78
 sticky catchfly 63
 stoat 384
 stochastic **37, 466**
 stone stripe **354, 466**
 strand-line creeper 219
 strategy **466**
 strawberry tree 55–57, 56, 383
Streptopelia (dove)
 S. decaocto (collared dove) 39, 82
 S. turtur (turtle dove) 81
Strix occidentalis caurina (spotted owl) 37
Strongylocentrotus purpuratus 75
 structure of biomass **127, 466**
Stuga heterophylla 362
Sturnus vulgaris (European starling) 80, 81
 subduction **161, 466**
 subspecies/subspeciation 26, **33, 466**
 see also ring species
 succession **22, 466**
 and biodiversity 139–141, 139, 140
 sugar cane 220
 sugar maple 140
 Sunda shelf 329
 supertramps 217
 surface waters 263–267, 264, 265
 survival strategies 102
 islands 197–199
 sustainability 433
 Swainson's thrush 78
 sweepstakes routes **40, 466**
 sympatric speciation **176–179, 180, 235, 466**

Tadorna tadorna (shelduck) 71
Tamarix 82, 99
Tamasciurus (tree squirrel) 247, 248
 tanagers *see Tangara*
Tangara (tanager) 72, 72
 T. guttata (speckled tanager) 72, 72
 T. gyrola (bay-headed tanager) 72, 72
 T. mexicana (turquoise tanager) 72, 72
 Tansley, Arthur 22, 91
Tarentola 341
 taxon **4, 188, 466**
 taxon–area cladogram 233, **466**
 taxon cycle **212, 466**
 taxonomy **33, 118, 188, 466**
 Taymyr gull 34
 tectonic plates **151, 152, 466**
 see also plate tectonics
Telespyza cantans 207
 temporal niche **141, 466**
 temporal separation **71, 466**
 tenrec 190, 301
 Terminal Eocene cooling 159, **159, 342, 466**
Terminalia catappa (Indian almond tree) 219
 terranes 164, **164–166, 165, 466**
 Tertiary, flowering plants 304
 testate amoeba 50–52, 51
 Tethys Ocean **154, 157, 158, 467**
Tetracanthella arctica (springtail) 52–53, 53
Tetrachondra 336
Thamnophilus dolius (antshrike) 211
 Theory of Island Biogeography (TIB) **208–211, 431, 467**
 modification of 212–214, 214
 see also island biogeography
 thermocline **260, 389, 467**
 thermohaline circulation **107, 109, 262, 467**
 Thulean route **467**
 thymine 170–171
Thymus 67
 thytodetritus **464**
 tickberry 79, 80
Tilia (lime)
 pollen diagrams 358, 378
 T. cordata 383
 till **353, 467**
 timberline **104, 467**
 time-homogeneous models 244
 timetrees 246, 301, 303

- Timonius* 223
 toads 174, 384
 Tonga 210
 topographical limits of distribution 59–60, 60
Trachycarpus martianus 41
 track **14, 467**
 trade winds biome 263, 264
 transform fault **151, 467**
 transoceanic links 276–278
 tree squirrel 247, 248
 trees
 biodiversity 126, 127, 128
 see also forests; plants; *and individual species*
 trenches **149, 151, 259, 467**
 Triassic 295–296, 298
 flowering plants 304
Tribolium (flour beetles) 74
Tribulus 182, 183
Trichinella 418
Trichosanthes 333
Tringa totanus (redshank) 72
 Tristan de Cunha 200
Triticum (wheat)
 T. aestivum 409, 410
 T. monococcum (einkorn) 409, 410
 T. searsii 410
 T. tauschii 409, 410
 T. timopheevii 410
 T. turgidum (emmer) 409, 410
 trophic levels **94, 467**
 tropical biodiversity 131–132, 131
 tropical rainforest 130
Trypanosoma 417, 419, 420
Tsuga (hemlock) 361
 tulip trees 50, 50, 361
Turdus migratorius (American robin) 83
 Turgai Sea **467**
 turnover rate **211, 467**
 turtle dove 81
Typha 378

Ulmus (elm) 377
 pollen diagrams 357, 358, 378
 ultraviolet radiation **416, 467**
 Umbelliferae 362
 ungulate 71, 342, 344, **467**
 uniformitarianism **354, 467**
Ursus americanus (black bear) 247

Valvata 184
Vanellus
 V. gregarius (sociable plover) 48, 48
 V. vanellus (lapwing) 47, 47
Varanus komodoensis (Komodo dragon) 201
 vector 415, **461**
 Vega gull 34
 vegetation
 climax **22, 457**
 maps 7, Plate 2
 see also forests; plants
 velvet worm 335
 vertebrates 120
 see also mammals
Vestiaria coccinea 207, 207
 vicariance **15, 16, 208, 231–232, 232, 340, 467**
 vicariant speciation **467**
 viruses 120
Vitis vinifera (grape) 388

 Wallace, Alfred Russel 9, 11, 12, 24, 161, 329, 346, 444
 Wallacea **160–161, 329–330, 330, 467**
 Wallacean shortfall 439, 439, 440
 Wallace's Line **329, 330, 467**
Washingtonia filifera 41
 weasel 384
 Wegener, Alfred 2, 13, 14, 17, 149
 West Indies 336–341, 336, 339–341
 amphibians and reptiles 340–341, 341
 formation of 339
 vertebrates 340
 westerly winds biome 263, 264
 western gorilla 58, 59
 wheat *see* *Triticum*
 white-fronted goose 77–78, 77
 white-tailed eagle 385
 wigeons 38
Wilkesia (silverswords) 205, 206
 willow 378
 wing nut tree 361
 Wisconsin glacial 406
 within-island speciation **196, 215, 455**
Wollemia nobilis 123
 wood mouse 384
 woolly mammoth 361, 407, 407
 world maps 10–12, 10, 11
Wuchereria 417

 Xenarthra 302, 342
 xerophytes **19, 467**

 yellow-billed magpie 60
 yellow birch 140
 yellow-legged gull 34
 yellow rattle 76
 yellow-tailed northern flicker 80
 Younger Dryas 371, **375, 376, 381, 408, 409, 467**

Zea mays (maize) 412, 414
 Zealandia 335
Zelandochlus 233
Zenaida macroura (mourning dove) 81
Zinjanthropus 402
 zonation **64, 468**
 zoogeography 12
 zooplankton **264, 269, 468**
 zooxanthellae **279, 468**
Zygophyllum eurypterum 98, 99–100, 99, Plate 1