

INDEX

- Acceleration Constant g , 52
Acceleration Equations, 20, 21, 48
Accelerations at the Gimbals, 49
Accelerometer Measurement, 31, 32, 100
Aerodynamic Angles, 21, 49, 59
Aerodynamic Center, 194
Aerodynamic Coefficients, 25, 27, 66
Aerodynamic Derivatives, 17, 59, 61, 63
Aerodynamic Disturbances on Space Station, 401
Aerodynamic Forces, 24, 26, 58
Aerodynamic Models, 8
Aerodynamic Moments, 24, 26, 58, 63
Aeroelastic Coefficients, 84
Aeroelasticity, 82, 84
Aerosurface Deflection, 62
Aerosurface Forces and Moments, 27, 59
Aerosurfaces, 27, 60
Altitude Variation, 30, 98
Angle of Attack (α), 21, 49
Angle of Attack (α) Estimator, 103, 288
Angle of Attack and Sideslip Sensors, 102
Angle of Sideslip (β), 21, 49
Angle of Sideslip (β) Estimator, 104, 292
Angular Acceleration Equations, 21, 50, 122
Angular Momentum, 32, 37, 45, 105, 106
Approach and Landing Control Design, 268, 341
Array of CMGs, 37, 104, 107
Ascent Dynamic Model, 393
Attitude Control Design, 401
Attitude Control System (ACS), 400
Augmented Model for Control Design, 255, 262, 285, 290, 300, 315, 326, 402, 405
Authority of the Control Effectors, 138, 141, 173, 175, 187, 198, 201, 203
Baffles in Tanks, 11, 78
Bank Angle and Side-Force in Steady Sideslip, 205
Bending Equation, 85
Bending Mode Excitation Using GAFD, 87
Biased Effectors, 200
Center of Pressure, 195
Center of Rotation (CR), 76, 78

414 INDEX

- Change in Air Velocity due to Wind-Gust, 72
- Change in Angles of Attack and Sideslip due to Wind, 72
- CMG Gimbal, 43
- CMG Momentum, 43–45, 401, 407
- CMG Torque, 40, 43, 108
- Cn_{beta}-dynamic, 197
- Combining a Flexible Vehicle Model with Actuators, 123
- Conditions on Slosh Stability, 77
- Contour Plots, 225, 322, 348
- Control Authority of Effectors, 187, 198, 201, 203, 230
- Control Demands Matrix Partial (C_T), 188
- Control Effort Parameter, 202
- Control Moment Gyros (CMG), 37, 107, 400
- Control Surface Moments and Forces, 27, 61, 64
- Control to Disturbance Partial (M_α/M_δ), 201
- Controllability Analysis Using Vector Diagrams, 312, 323, 348, 390
- Converting Aero Uncertainties, 239–243
- Coordinate Axes, 15
- Cross-Range Velocity, 30
- Cross-Range Velocity Variation, 98

- Damping Coefficient, 9, 11, 61, 74, 398
- Design Examples, 147, 152, 305
- Developed Spin, 217
- Directional Stability, 197
- Disturbance Attenuation Compensator, 285, 405

- Early Reentry Control Design, 253
- Effector Capability to Accelerations, 211, 212
- Effector Combination Logic, 60, 124, 137, 149, 189, 193, 207, 229, 233, 239, 262, 269, 348, 381, 390
- Effector Scheduling, 183, 370
- Effector Trimming along Trajectory, 308, 317, 329
- Electro-Hydraulic Actuator, 114
- Electro-Mechanical Actuator, 118
- Electro-Mechanical Actuator Example, 126
- Engine Forces, 56, 90
- Engine Load-Torque, 13, 90
- Engine Nozzle, 52, 156
- Engine Nozzle Deflection, 52, 54
- Engine Nozzle Gimbal, 3, 10, 12, 14, 22, 23, 52, 54
- Engine Out, 205
- Engine Trim Angles, 23, 53, 55, 181
- Euler Angles, Attitude, 29, 97

- Finite Element Models, 2, 9, 57, 83, 87, 91, 95, 125, 161
- Flex Vehicle and Actuator Interconnection, 123
- Flight Control Design, 245
- Flight Control Design Examples, 251
- Flight Control System (FCS), 100, 137, 154, 158, 161, 164, 188, 261, 364, 367
- Flight-Path Angle Control, 329
- Flixan Program, 5, 47, 103, 134, 153, 251, 299
- Force at an Engine Gimbal, 56
- Force Equations, 19, 47

- Gain Scheduling, 2, 364
- Generalized Aerodynamic Force Derivatives (GAFD), 10, 68, 84, 85, 87–90, 93, 95
- Generalized Modal Displacement, 9, 17, 58, 69, 83, 85, 87, 89, 96
- Generalized Modal Mass, 10, 17, 83, 85
- Generalized Modal Shapes, 10, 83, 85
- Generalized Modal Slopes, 10, 83, 85
- Gravitational Forces, 22, 51
- Gravity Gradient Torque, 35, 105, 106, 400–402
- Gyros, 99

- Heading Alignment Maneuver, 253, 268, 271, 272, 275, 307, 341, 355, 368, 373, 376
- H-Infinity Output-Feedback Control, 249
- H-Infinity State-Feedback Control, 248, 282, 291
- Hinge Moment Coefficients, 95, 216
- Hinge Moments at the Control Surfaces, 93, 96, 216, 317

- Hinge Vector, 16, 60, 61, 94, 270, 306
H-Parameters, 10, 84, 87, 92, 95
- IFL Model Implementation, 303
Incipient Spin, 217
Inertial Coupling Coefficients, 84, 87, 92, 95
Internal Feedback Loop Structure (IFL), 299
- Landing Flare, 268, 274, 341, 367, 375, 380
Lateral Control Authority, 203
Lateral Control Departure Parameter, 206
Lateral Static Stability, 198
Launch Vehicle with Wings Example, 381
Launch Vehicles, 3, 10, 14, 22, 31, 55, 90, 100, 157, 381
LCDP Examples, 209
LCDP Ratio, 206, 227
Lifting-Body Space-Plane Example, 305
Linear Accelerations at Gimbals, 49
Linear Accelerations at Hinges, 49
Linear Analysis Equations, 47
Linear Dynamic Models, 2, 47, 124, 315, 393, 402
Linear Quadratic Regulator Control, 246, 256, 262, 269, 277
Linear Simulation, 316, 327, 338, 354, 405
Load-Relief, 13, 158
Load-Torque Feedback, 90
Load-Torque on Actuator, 13, 90, 111, 123, 130, 155, 164, 168
Local Vertical Local Horizontal (LVLH) Frame, 400
Long Period Dynamics, 2
LQR State-Feedback Control Design, 246, 256, 262, 269, 277, 327, 336, 353, 393
- M_α/M_δ Ratio, 201
Maximum Acceleration Capability of Effectors, 211
Maximum Control Demands, 199
Max-Q, 13, 31, 152, 282
Midphase Reentry Design, 261
Mixing Logic Derivation, 138–146
Mixing Logic Example, 147, 270
Mixing Logic Matrix, 138, 270, 276, 348, 390, 393
- Modal Data, 9, 83, 88, 161
Mode Selection, 161
Mode Shapes, 83
Mode Slopes, 83
Moment and Angular Acceleration, 21, 50
Moment due to TVC, 57
Moments at the Hinges of the Control Surfaces, 216
Moments due to Aerosurface Deflections, 64
Moments Reference Center (MRC), 7, 16, 64, 66, 363
Momentum Exchange Devices, 32
Momentum Management Control Design, 401
- Nominal Stability, 302
Normal Acceleration Control, 317
Normal and Lateral Loading, 204
- Orbital Rate, 35, 104, 106, 401
Output Sensors, 97–102
- Parameter Uncertainties, 228, 232, 237, 299, 301, 303, 357
Pendulum Propellant Sloshing Model, 11, 28
Performance Parameters, 5, 187, 194, 225, 308, 320, 329, 343
Perturbation Equations, 47
Pitch Control Authority, 201
Pitch Control Effort, 202
Pitch Inertial Coupling due to Stability Roll, 214
Pitch Static Stability, 195, 226
Propellant Sloshing, Spring-Mass Model, 10, 73, 153, 160, 381, 398
Propellant Sloshing, Stability, 77–80
- Rate Gyros, 99
RCS Jets, 52, 53, 143, 147
Reaction Control Jets, 53, 56, 143, 147
Reaction Wheel, 34
Reaction Wheel (RW) Momentum, 35, 106
Reaction Wheel Torque, 35
Reaction Wheels Array, 33, 106
Reentry Control Modes, 307

416 INDEX

- Reentry Design of a Lifting-Body
Space-Plane, 305
- Reentry Vehicle Control Design, 251
- Reference Axes, 15
- Rigid-Body Modes, 161
- Robust Performance, 302
- Robust Stability, 302
- Robustness Analysis to Uncertainties, 301, 356
- Rocket-Plane with Throttling Engine
Example, 275
- Rotational Acceleration Effector Capability, 211
- RW, 34
- RWA, 33, 106
- Sensors, 97
- Servo-Valve, 115
- SG-CMG Array Model, 38
- Short Period Dynamics, 2, 47, 82, 156, 158, 161, 188, 195, 227, 322, 328, 329, 343
- Shuttle Ascent Control Design Using
H-infinity, 282
- Shuttle Ascent Flight Control System, 154, 164, 165
- Simple Actuator Model, 112
- Simulation 6-DOF, 361, 394, 406
- Single-Gimbal CMG, 37, 107
- Slosh Disturbance Forces and Moments on
Vehicle, 76
- Slosh Frequency, 73
- Slosh Mass, 11, 15, 17, 28, 74, 76, 78, 80, 158, 398
- Slosh Modes, 74, 77, 160, 289, 294, 381, 398
- Slosh Stability, 77
- Solution Based Spin Criteria, 220
- Space Shuttle Ascent Analysis Example, 152
- Space Shuttle Ascent H-Infinity Control
Design, 282
- Space Station Design Example, 400
- Spacecraft with an Array of Single Gimbal
CMGs, 37, 107
- Spacecraft with CMGs in LVLH Orbit
Linear Equations, 104
- Spacecraft with Reaction Wheels and
Momentum Bias, 33, 106
- Speed-Brake, 14, 137, 174, 189, 202, 268, 270–275, 306, 341–349, 366, 370–377
- Spin Departure, 217
- Spin Equilibria, 220
- Spin Recovery, 217
- Spin Susceptibility, 219
- Spring-Mass Slosh Analogy Model, 11, 73
- Stability Analysis, 281, 317, 327, 356, 399
- Stability Axes Rates, 30, 99
- Stability Biased Criteria, 217
- State Estimator, 279
- Static Analysis, 173, 228
- Static Margin, 195
- Static Performance Analysis, 187, 387
- Static Stability, 84, 111, 173, 188, 195
- Steady Pull-Up Maneuverability, 212
- Steering Logic for Spacecraft with
SGCMGs, 42
- Stiff Actuator Model, 113
- Structural Flexibility, 9, 80, 161
- Structural Flexibility Filters, 9, 12, 82, 126, 130, 154, 157, 161
- Structural Loading Parameter, 204
- Structural Nodes (Locations), 10, 73, 83, 87
- System Momentum, 32–35, 43
- Tail-Wags-Dog (TWD) Dynamics, 12, 20, 90, 123, 155
- Throttle Control, 56, 393
- Throttling Engine, 3, 56, 381
- Thrust Vector Control (TVC), 3, 52
- Time to Double Amplitude (T2), 195
- Time to Double Amplitude Derivation, 196
- Torque Equilibrium Attitude (TEA), 401
- Trajectory Analysis, 2, 172, 183, 187, 226, 309, 318, 330, 342, 383
- Transforming the Aerodynamic Moments
(MRC to CG), 65, 66
- Translational Acceleration Effector
Capability, 212
- Trimming Along a Trajectory, 172
- Trimming of an Aircraft, 171
- Trimming with an Engine Failure, 385
- Trimming: Adjusting the Effector Positions
along Trajectory, 183
- Trimming: Algorithm Calculating the
Effector Deflections, 180
- Trimming: Base Aero Moments and Forces,
176

INDEX 417

- Trimming: Moments and Forces due to
Aerosurfaces, 177
- Trimming: Moments and Forces due to
Engine Gimbaling, 178
- Turn Coordination, 31, 100, 209
- TVC Actuators, 109
- TVC Forces, 22, 24
- TVC Moments, 57
- TWD Forces, 27, 55, 61, 64
- TWD Frequency, 12, 157
- Uncertainty Models for Robustness
Analysis, 298
- Vector Diagrams Aerosurface Uncertainties,
239–243
- Vector Diagrams Analysis, 228, 323, 334,
348, 390
- Vector Diagrams of Acceleration Partial,
238, 314, 325, 335, 337, 392
- Vector Diagrams of Maximum
Acceleration, 233
- Vector Diagrams of Maximum Moment/
Force, 229, 313, 335, 337
- Vector Diagrams of Moment/Force Partial,
234, 313, 325, 335, 392
- Vector Diagrams Uncertainties, 231, 232,
236
- Vehicle Rates in Stability Axes, 30,
99
- Wind-Gust Disturbance, 3, 70, 394
- Yaw Inertial Coupling due to Loaded Roll,
215
- YCG Offset, 205

